



MULTIFUNCTIONAL COLOR CP3327i



**PRINT FROM
ANYWHERE, ANYTIME...**



PRINT FROM ANYWHERE, ANYTIME...





Key Features

- Speed A4: 33 ppm in colour and black & white
- Paper formats: A6-A4
- 7-inch colour touch panel with multi-touch support and dedicated mobile touch area provides more convenience and flexibility for today's work style
- Highest data security thanks to various security functions that reduce the risk of data loss and keep confidential data safe

Configurations




Functionality

 <p>Printing</p> <ul style="list-style-type: none">- Colour- Black & white- PCL/PS- Local/Network- USB	 <p>Scanning</p> <ul style="list-style-type: none">- Colour- Black & white- Scan-to-eMail- Scan-to-Me- Scan-to-SMB- Scan-to-Home- Scan-to-FTP- Scan-to-HDD- Scan-to-USB- Scan-to-WebDAV- Scan-to-URL- TWAIN Network	 <p>Copying</p> <ul style="list-style-type: none">- Colour- Black & white
 <p>Faxing</p> <ul style="list-style-type: none">- Super G3 Fax- PC-Fax- i-Fax		

DATASHEET

Option diagram



Finishing functionalities



Corner stapling (off-line)



Duplex

TECHNICAL SPECIFICATIONS

Descriptions

Itec CP3327	A4 multifunctional with 33 ppm b/w and colour. Standard Emperon™ print controller with PCL, PostScript and XPS support. Paper capacity of 550 sheets and 100-sheet manual bypass. Automatic duplex document feeder and duplex unit standard. 2 GB memory, 250 GB hard disk.
PF-P13 Paper tray	A4, 500 sheets, 60 – 90 g/m ²
DK-P03 Copier desk	Provides storage space for print media, etc.
FS-P03 Off-line stapler	20-sheet corner stapling
KP-101 10-Key pad	For use instead of touchscreen
WT-P02 Working table	Off-line stapler placement, etc.
FK-517 Fax board	Super G3 fax, digital fax functionality
EK-P07 Interface cable for CSRC modem	GPRS modem connection for CSRC
ID card reader	Various ID card technologies
LK-102v3 PDF enhancements	PDF/A (1b), PDF encryption, digital signature
LK-105v4 OCR text recognition	Searchable PDF and PPTX, PDF/A (1a)
LK-106 Barcode fonts	Supports native barcode printing
LK-107 Unicode fonts	Supports native Unicode printing
LK-108 OCR A and B fonts	Supports native OCR A and B font printing
LK-110v2 Document converter pack	Generates various file formats incl. DOCX, XLSX and PDF/A
LK-111 ThinPrint® client	Print data compression for reduced network impact
LK-114 Serverless Pull Printing	Secure and Follow Me printing solution requiring no server application. Host device requires 4 GB memory. (Available from April 2017)
LK-115v2 TPM activation	Trusted Platform Module for protection of data encryption and decryption
MK-P02 Mount kit	Installation kit for ID card reader
UK-216 Wireless LAN	Wireless LAN and wireless LAN Access Point Mode
SX-BR-4600 Wireless LAN	Wireless LAN to network connector
CU-202 Air cleaning unit	Improving Indoor Air Quality by reduced emissions
EK-P05 USB I/F kit	USB keyboard connection
EK-P06 USB I/F kit	USB keyboard connection, Bluetooth
UK-211 Upgrade kit	2 GB memory extension for upgrades
KH-P01 Keyboard holder	To place USB keyboard
AU-102 Biometric authentication	Finger vein scanner

System Specifications

System memory (standard/max)	2 GB/4 GB
System hard disk 2	50 GB (standard)
Interface	10/100/1,000-Base-T Ethernet; USB 2.0; Wi-Fi 802.11b/g/n (optional)
Network protocols	TCP/IP (IPv4/IPv6); SMB; LPD; IPP; SNMP; HTTP; HTTPS
Frame types	Ethernet 802.2; Ethernet 802.3; Ethernet II; Ethernet SNAP
Automatic document feeder	Up to 50 originals; A5 – A4; 50 – 128 g/m ² ; reverse automatic document feeder
Printable paper size	A6 – A4; customised paper sizes
Printable paper weight	60 – 210 g/m ²
Paper input capacity (standard/max)	650 sheets/1,650 sheets
Paper tray input (standard)	550 sheets; A6 – A4, 60 – 210 g/m ²
Paper tray input (optional)	2 x 500 sheets; A4, 60 – 90 g/m ²
Manual bypass	100 sheets; A6 – A4; custom sizes; 60 – 210 g/m ²
Automatic duplexing	A4; 60 – 210 g/m ²
Finishing modes (optional)	Staple (off-line)
Output capacity	Max.: 250 sheets
Stapling (optional)	Max.: 20 sheets (off-line stapling)
Copy/print volume (monthly)	Rec.: 6,500 pages Max.: 96,000 pages
Toner lifetime	K:13,000; CMY: 12,000 pages
Imaging unit lifetime	K: 60,000; CMY: 50,000 pages
Power consumption	220 – 240 V/50/60 Hz; Less than 1.7 kW
System dimensions (W x D x H)	555 x 584 x 603 mm
System weight	Approx. 49.2 kg (without options)

Printer Specifications

Print resolution	600 x 600 dpi 1,200 x 1,200 dpi (reduced speed)
Page description language	PCL 6 (XL 3.0); PCL 5c; PostScript 3 (CPSI 3016); XPS
Operating systems	Windows Vista (32/64) Windows 7 (32/64) Windows 8 (32/64) Windows 10 (32/64) Windows Server 2008 (32/64) Windows Server 2008 R2 Windows Server 2012 Windows Server 2012 R2 Windows Server 2016 Macintosh OS X 10.x Linux Unix Citrix
Printer fonts	80 PCL Latin; 137 PostScript 3 Emulation Latin
Print functions	Direct print of TIFF; XPS; PDF (v1.7) and OOXML (DOCX, XLSX, PPTX); secure print; combination; n-up; poster; booklet page order; watermark
Mobile Printing	AirPrint (iOS); Mopria (Android); Google Cloud Print (optional); WiFi Direct (optional); Konica Minolta Print Service (Android); PageScope Mobile (iOS/Android/Windows 10 Mobile)

Scanner Specifications

Scan speed (mono/colour)	Up to 35 ipm
Scan resolution	Up to 600 x 600 dpi
Scan modes	Scan-to-eMail (Scan-to-Me) Scan-to-SMB (Scan-to-Home) Scan-to-FTP Scan-to-HDD Scan-to-USB Scan-to-WebDAV Scan-to-URL Network TWAIN scan
File formats	JPEG; TIFF; PDF; PDF/A (1b); Compact PDF; encrypted PDF; XPS
Scan destinations	2,100 (single + group); LDAP support
Scan functions	Up to 400 job programs

Copier Specifications

Copying process	Electrostatic laser copy; tandem; indirect
Toner system	Simitri® HD polymerised toner
Copy/print speed A4 (mono/colour)	Up to 33 ppm
Autoduplex speed A4 (mono/colour)	Up to 33 ppm
1st copy out time (mono/colour)	8.1/9.1 sec.
Warm-up time	Approx. 20 sec. ²
Copy resolution	600 x 600 dpi
Gradation 2	56 gradations
Multicopy	1–9,999
Original format	Max. A4
Magnification	25–400% in 0.1% steps; auto-zooming
Copy functions	Electronic sorting; multi-job; adjustments (contrast, sharpness, image density); proof copy; interrupt mode; colour mode; separate scan; sort/group; combination; original selection; ID card copy; 2-in1; 4-in-1

– All specifications refer to A4-size paper of 80 g/m² quality.

– The support and availability of the listed specifications and functionalities varies depending on operating systems, applications and network protocols as well as network and system configurations.

– The stated life expectancy of each consumable is based on specific operating conditions such as page coverage for a particular page size (5% coverage). The actual life of each consumable will vary depending on use and other printing variables including page coverage, page size, media type, continuous or intermittent printing, ambient temperature and humidity.

– Some of the product illustrations contain optional accessories.

– Specifications and accessories are based on the information available at the time of printing and are subject to change without notice.

– Itec does not warrant that any specifications mentioned will be error-free.

– All brand and product names may be registered trademarks or trademarks of their respective holders and are hereby acknowledged.

Fax Specifications

Fax standard	Super G3 (optional)
Fax transmission	Analogue i-Fax
Fax resolution	Up to 600 x 600 dpi (ultra-fine)
Fax compression	MH; MR; MMR; JBIG
Fax modem	Up to 33.6 Kbps
Fax destinations	2,100 (single + group)
Fax functions	Time shift; PC-Fax; fax forwarding; up to 400 program dials

System Features

Security	ISO15408 Common Criteria (in evaluation); IP filtering and port blocking; SSL2; SSL3 and TLS1.0 network communication; IPsec support; IEEE 802.1x support; user authentication; secure print; hard disk overwrite (8 standard types); hard disk data encryption; copy protection (print only)
Accounting	Up to 1,000 user accounts; Active Directory support ID card authentication optional
Software	PageScope Net Care Device Manager PageScope Direct Print Print Status Notifier Download Manager Driver Packaging Utility

¹ If the maximum volume is reached within a period of one year, then a maintenance cycle must be performed

² Warm-up time may vary depending on the operating environment and usage

OUR ORGANISATION

We have been an expert in managing document flows for over 30 years. From our branches in Zaltbommel, Amersfoort, Barendrecht, Antwerp and Ghent, more than 300 employees deliver top-quality customized solutions across the Benelux. Today, there are over 32,000 of our machines being used, producing approximately 2 billion prints each year.

DocuFlow®

To optimize your document management, we offer DocuFlow®, a complete tailor-made solution for your documents with the following advantages:

- Always the right printing condition
- Flexible contract
- One price per print for the entire document flow
- Insights in direct and indirect costs
- Save on expenses, increase efficiency
- Possibility of retention and maintenance of existing machines

Our four pillars

In order to optimally maintain your document flow, we offer the support of the four pillars of our organization.

• Hardware

Printers and multifunctionals from top-tier brands only, such as HP, Konica Minolta, Kyocera, Lexmark and Ricoh.

• Paper & Supplies

Large supply of toners, cartridges, and high-quality copying and printing paper, compatible with all different machines.

• Solutions

User-friendly solutions that ensure your documents are made safely available at the right place directly.

SMART MPS

Print counts, malfunctions and orders are directly communicated

SMART Scan

Easily digitize documents by scanning directly to the correct location or folder

SMART Follow-me

Safe and carefree printing where and wherever you want with your personal key or card

SMART Mobile

Wireless printing with all mobile devices, such as smartphones, tablets or laptops

SMART Invoice

Automatically process paper and digital invoices

• Services

Our own logistic department, Multi Brand certified engineers and (implementation) consultants are ready to help you.

Environmental care - sustainable entrepreneurship

Itec cares about its responsibilities towards the environment, and tries to maintain a responsible approach as much as possible. This is why we pay a lot of attention to sustainable entrepreneurship, both when compiling our product range and when executing our business plans.

All Itec products meet the European Union's guidelines for quality, Health and Safety regulations, and environmental care, such as ozone emissions and sound production. Itec conforms to the principles of Corporate Social Responsibility as established by the DNV, or in short: People, Planet, Profit. All our equipment meets the demands of these principles.



The Netherlands

+31 (0)418 682 222
info@itec.nl
www.itec.nl

Belgium

+32 (0)78 05 00 53
info@itec.be
www.itec.be